

भारतीय प्रौद्योगिकी संस्थान
(भारतीय खनि विद्यापीठ), धनबाद
INDIAN INSTITUTE OF TECHNOLOGY
(INDIAN SCHOOL OF MINES), DHANBAD



Notice Inviting Tender (NIT) in Two-Bid System
for
**Supply and Installation of E-enabled Senate Hall with
advanced feature equipment/hardware**

Tender No.: IIT(ISM)/EDC-500399-2017-18

दिनांक/ Date: 24 January 2018

Bid Submission deadline: 26.02.2018, 1:00 P.M.

Tender Fee: Rs. 5000/- (Rs. Five Thousand only)

**[To be submitted with Part-1 (Techno-commercial bid) in the form of Demand Draft issued by
any Nationalized / Scheduled commercial bank in favour of "Registrar, IIT (ISM), Dhanbad"
payable at Dhanbad (India)]**

REGISTRAR

**Indian Institute of Technology (Indian School of Mines), Dhanbad
P.O. – Indian School of Mines (I.S.M.)
DHANBAD –826004 (INDIA)**

Handwritten signature and date 24/01/18

www.iitism.ac.in
GSTIN : 20AAAAI0686D1ZA
Notice Inviting Tender (NIT) in Two-Bid System
for
SUPPLY AND INSTALLATION OF E-enabled Senate Hall with advanced
feature equipment/hardware

Tender No.: **IIT(ISM) /EDC-500399-2017-18**

दिनांक/ Date: 24 January 2018

INDEX

<u>CHAPTER</u>	<u>CONTENT</u>	<u>PAGE NO.</u>
1	Instructions to Bidders	03-04
2	Terms & conditions of Contract	05-10
3	Schedule of Requirements	11
4	Specifications and allied technical details	12-19
5	Price Schedule	20
6	Contract Form	21
7	Other forms	
	Form - 7.1 (Checklist)	22
	Form - 7.2 (Covering Letter with Techno-Commercial Bid)	23
	Form - 7.3	24
	Form - 7.4 (Techno-Commercial Bid)	25

CHAPTER 1

Instructions to Bidders

IIT (ISM), Dhanbad was formerly known as Indian School of Mines (ISM) and was a Deemed University before it got converted into an Institute of National Importance under the Institutes of Technology (Amendment) Act, 2016 passed by the Parliament of India and got the assent of President of India. The Indian School of Mines, now IIT (ISM), Dhanbad, was formally opened on 9th December 1926, by Lord Irwin, the then Viceroy of India to address the need for trained manpower related to mining activities in the country with disciplines of Mining and Applied Geology. In 1967, it was granted the status of a deemed to be university under Section 3 of UGC Act, 1956 and it was renamed as Indian Institute of Technology (Indian School of Mines) in 2016. It started as an institution to impart mining education, and today, has grown into a technical institution with various academic departments. IIT (ISM) is located in the mineral-rich region of India, in the city of Dhanbad in the state of Jharkhand. It is the third oldest institute [after IIT Roorkee and IIT (BHU) Varanasi] which got converted into an IIT.

IIT (ISM), Dhanbad intends to procure the equipment "E-enabled Senate Hall with advanced feature equipment/hardware" to enrich its teaching and research facility at Dhanbad.

Reputed manufactures or authorized distributors are invited to submit their bid for "E-enabled Senate Hall with advanced feature equipment/hardware" for IIT (ISM), Dhanbad as per this tender document in a Two-Bid System: - (a) Techno-Commercial (also termed as technical bid) bid (Part-1) consisting of all technical details of the item along with commercial terms and conditions, Tender Fee and EMD and (b) Price bid (Part-2) indicating price for their items mentioned in the technical bid. All instructions and terms and conditions must be followed, failing which bid(s) will liable to be rejected.

INSTRUCTIONS

1. Offer should be submitted under TWO-BID system in two separate sealed covers i.e. "Techno-commercial bid" and "Price bid".
2. Tender Number and tender submission deadline must be clearly mentioned on the top of the envelope.
3. a) In a tender, either the Indian agent on behalf of the principle/ OEM and the Principle/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
b) If an agent submit bid on behalf of the principle/ OEM, the same agent shall not submit a bid on behalf of another principle/ OEM in the same tender for the same item/product.
4. Bidder(s) must submit PAN given by Income Tax authorities, TIN and copy of PAN / TIN with the bid.
5. The offer must be submitted in **Two-Bid**. Tender should be dropped in the tender box kept in the office of **Deputy Registrar (Purchase & Stores), IIT (ISM), Dhanbad- 826004 (Jharkhand, India)**

only. Bids may be submitted by Speed Post / Courier in sealed cover only, but IIT(ISM), Dhanbad will not accept such bid if delivered/submitted to the office of the Deputy Registrar (Purchasing & Stores section), IIT (ISM), Dhanbad after the submission deadline and such bids will be treated as Late bids / non-responsive bids. It will be the sole responsibility of the bidders that their bid should be submitted/delivered as per bid submission deadline. IIT (ISM), Dhanbad will not be responsible for any delay or transit loss or late delivery of bids to the office of the Deputy Registrar. No Tender is to be handed over to any staff of IIT (ISM), Dhanbad personally. All bids / correspondences should be sent to the following address only: "Dy. Registrar (P&S), IIT (ISM), Dhanbad, P.O. – Indian School of Mines (ISM), DHANBAD – 826004 (Jharkhand, India)". Bids sent through Email/Fax or submitted in unsealed cover(s) will not be accepted and such bids will be treated as non-responsive bids.

6. Bid(s) must be sent sufficiently in advance so that it reaches the institute on or before the submission deadline. Bid(s) received after the submission deadline will not be considered.
7. Bid document(s) and all enclosures must contain the signature and seal of the authorised representative of the bidder.
8. The bidder quoting for item(s) as per this tender should be the registered to provide the item/services with the appropriate government authority. Copy of registration certificate should be enclosed with the tenders (part-1). Offers submitted without proper registration certificate shall be rejected summarily.
9. The bidder quoting for item(s) as per this tender should be the registered to provide the item/services with the appropriate government authority. Copy of registration certificate should be enclosed with the tenders (part-1). Offers submitted without proper registration certificate shall be rejected summarily.
10. The Bank/RTGS detail on the letter-head of the bidder(s) must be submitted along with the tenders (part-1). A copy of the cancelled cheque should also be attached.
11. Name and PAN/Voter Card No. /Aadhar No. of the authorized signatory of the bidder(s) must be mentioned in the Form 7.2.
12. A copy of PAN/Voter Card/Aadhar Card of the authorized signatory of the bidder(s) must be attached with the Form 7.2



CHAPTER 2

Terms and Conditions

The offer must comprise of the following, failing which it will be treated as non-responsive bid hence will be rejected:

1. The bids under Two-Bid System will consist of two parts as per following details:- **a) Techno-Commercial bid (Part 1)** consisting of all technical details along with Commercial terms and conditions and EMD (Earnest Money Deposit) and Tender Cost, in the form of two separate Demand Drafts issued from any Nationalized / Scheduled commercial bank in favour of "Registrar, IIT (ISM), Dhanbad" and payable at "Dhanbad (Jharkhand, India)", and **b) Price bid (Part 2)** indicating price for the items / services mentioned in technical bid (part-1). In stage-one, only the Techno-Commercial (Part 1) shall be opened and evaluated. In stage-two, the Price bids (Part 2) of only the technically qualified and acceptable offers will be opened, for further evaluation.
2. Sealing and Marking of Bids:
 - a) The Techno-Commercial bid (Part 1) must be sealed in a separate envelope (ENVELOPE-ONE) with Tender Cost and EMD in the form of two separate Demand Drafts, duly super-scribed as "Techno-Commercial Bid (Part 1), Tender No.: IIT(ISM)/EDC-500399-2017-18, Submission Deadline: 26.02. 2018" as per following details: -
Tender Cost: Rs. 5000/- (Rs. Five Thousand only),
EMD: Rs. 70,000/- (Rs. Seventy Thousand only).
 - b) The Price bid (Part 2) should be sealed in separate envelopes (ENVELOPE-TWO), duly super-scribed as "Price Bid (Part 2), Tender No.: IIT(ISM)/EDC-500399-2017-18, Submission Deadline: 26.02. 2018".
 - c) The above TWO separate sealed envelopes are to be put in a bigger envelope (ENVELOPE-THREE), which should also be sealed.
 - d) Each of the above THREE envelopes MUST be super-scribed with "Bid for Supply and Installation of E-enabled Senate Hall with advanced feature equipment/hardware against Tender No.: IIT(ISM)/EDC-500399-2017-18, Dated: 24 January 2018, Submission Deadline: 26.02. 2018".
3. The bids must be neatly typed/computer printed. Hand written offer will be rejected. Bids must carry the numbers of sales tax / VAT / TIN / PAN / Service Tax Registration No. Bids must be in sealed envelope.
4. All relevant technical specifications/details of offered items, drawings, printed technical leaflets, and commercial details which are necessary to ensure that offer is complete in all respects should be attached with the technical bid documents.
5. A 'Compliance Statement' along with a certificate and duly signed that the tenderer satisfies the technical requirements given as per Form 7.5. The said statement should be in a tabular form with the columns: sl. no., (2) technical requirement as per NIT; (3) what is offered by the tenderer; and (4) status of compliance: Complied/Not complied).
6. IIT(ISM) does not bind itself to offer any explanation to those bidders whose Technical Bids have not been found acceptable by the Evaluation Committee of the Institute.



7. Following documents have to be furnished by the bidders with the technical bids (part-1):
 - (a) Self attested copies of credentials in support of capability to undertake the supply/work.
 - (b) Technical literature/catalogue with the detail specification of the material
 - (c) Satisfactory performance certificate from their customers for same/similar supply/service must be enclosed along with the technical bid.
 - (d) A copy of this tender document must be signed and sealed on all pages by the bidder(s) accepting the instructions and terms & conditions of the NIT and must be attached with the bid.
8. Price should be quoted on FOR, IIT(ISM) Dhanbad basis (in case of indigenous supply). In case of foreign supply also, the price basis should be FOR IIT(ISM) Dhanbad. The packing, forwarding, freight and transit insurance charges, if any, must be included in the price and should not be claimed separately. Duties & taxes, if applicable, are to be shown separately clarifying whether those are extra or included in the price. Educational discounts, if any, should be mentioned clearly. Justification of the price quoted must be provided with the Price Bid. For this, Price List of the OEM and purchase order of govt. organizations / IITs/ NITs/ CSIR Labs / ISRO labs etc. should be attached. Price bids of only technically qualified tenderers shall be opened in on a pre-notified date and time. Decision of IIT (ISM), Dhanbad in this regard will final and binding by all the bidders.
9. IIT(ISM), Dhanbad is entitled for Excise Duty Exemption under Govt. of India notifications and is registered with DSIR, Govt. of India for this purpose. This may be taken into consideration while quoting minimum possible rate. Exemption Certificates can be issued in favour of manufacturers only, if it is mentioned in the bid. It will not be issued any Indian Agent/dealer or distributor at any circumstances. IIT(ISM) will provide only custom duty exemption certificate for availing concessional custom duty. IIT(ISM) will not pay any extra custom duty other than duty exemption certificate.
10. IIT (ISM), Dhanbad does not issue form 'C' or 'D' for concessional Sales tax/VAT. Hence, full rate of sales tax as applicable to educational institutions against the form of certificate should be indicated.
11. Tender Fee:- All bidder(s)s must have to submit a Demand Draft of required amount in the form of Demand Draft issued from any Nationalized/ Scheduled commercial Bank in favour of "Registrar, IIT (ISM), Dhanbad" payable at Dhanbad with the bid (part-1). Bid received without Tender Fee in part-1 (techno-commercial bid) will be rejected. Tender Fee is non-refundable. It must not be clubbed with Bid Security or EMD.
12. Bid Security or Earnest Money Deposit (EMD):- Required Amount for EMD must be submitted in the form of Demand Draft issued from any Nationalized/Scheduled commercial Bank in favour of Registrar, IIT (ISM), Dhanbad payable at Dhanbad with the bid (part-1). Bid received without EMD in part-1 (techno-commercial bid) will be rejected. It must not be clubbed with Tender Fee. No interest will be payable by IIT (ISM), Dhanbad on the Earnest Money Deposit. The earnest money of all the unsuccessful bidder(s) will be returned to the respective bidder(s) through bank / RTGS transfer without any interest within 60 (sixty) days only after placing the order / awarding the contract. The Earnest Money of successful bidder(s) shall be returned on receipt of Performance Security (Performance Bank Guarantee / PBG) as mentioned in this tender document. If the successful bidder(s) fails to furnish the performance security or fails to deliver/provide the item/installation/service as per the order's terms and conditions within stipulated period, the earnest money shall be liable to be forfeited by IIT (ISM), Dhanbad. An undertaking to this is to be submitted.
13. Tender Fee and EMD must be in the two separate Demand Drafts.

14. **Performance Security or Performance Bank Guarantee (PBG):-** The successful bidder(s), on whom order will be placed, has to submit a performance security of 10% of the total order value at the earliest as per PO terms before release of any payment. Performance security has to be submitted in the form of Bank Guarantee/Demand Draft/FDR from any Nationalized/Scheduled commercial Bank in favour of the Registrar, IIT (ISM), Dhanbad. Performance security should remain valid for a period of two months beyond the date of completion of all contractual obligations of the successful bidder(s). No interest will be payable by IIT (ISM) Dhanbad on the Performance Security deposited. In case the contractor fails to provide satisfactory service, the Performance Security submitted by the bidder(s) is liable to be forfeited. An undertaking to this is to be submitted.
15. **Validity Period: -** The validity period of the tender should be clearly specified. It must be at least for **240(Two Hundred Forty) days** from opening of bids.
16. **Warranty:** Total cost of supply should include 5 (five) year onsite warranty including technical support (service, support and maintenance) for all equipment and accessories (within 5 business day support). The cost of repair/replacement/shipping, if any, should be borne by the supplier during the warranty period. A five year warranty certificate including technical support is required from the original equipment manufacturer (OEM).
In case the local representative of the OEM/Principal Company is replaced, a letter of commitment by the OEM/Principal Company is required stating that they or their new representative will directly cover the warranty and service the equipment as and when required as per the terms and conditions mentioned in this document.
17. **Delivery Period and Liquidated Damage:** As time of the essence for this procurement, hence the ordered materials/work complete in all respects are required to be delivered and installed within the period stipulated in the purchase order failing which liquidated damages of 1% per week for the delayed period subject to maximum of 5% of the total basic value of the order shall be deducted from the invoice of the supplier. Earliest/ expected delivery period should be clearly indicated. Packing should be suitable for 'Air freight'.
18. **Inspection:** Inspection shall be carried out at IIT (ISM), Dhanbad after arrival of the materials and decision of the Institute in this regard shall be final.
19. **Rejection and Replacement:** Rejection, if any, shall be notified to the supplier within 30 days of receipt and inspection of the material/workmanship. Rejected materials/work is to be removed by the supplier at his own risk and cost from IIT (ISM). Campus within 14 days of intimation of rejection. Defective Supplies are required to be replaced within 15 days of the removal of the rejected materials/work.
20. **Risk Purchase:** IIT (ISM) shall be at liberty to realize from the supplier the differential amount, if any, which it shall have to incur on purchase of the material/work at higher price(s) from elsewhere in the market, if the supplier, due to their fault, fails to supply the ordered quality and quantity of the material/work within the stipulated time.
21. **Conditional offer will not be accepted.**



22. Payment: In case of indigenous item i.e. inside India, payment may be released through RTGS / online payment mode against complete execution of the purchase order (PO) and submission of all the required documents as per the order within 30 days after satisfactory supply, inspection, installation/commissioning & acceptance and on submission of pre-receipted tax invoice, delivery challan, warranty certificate and installation report in triplicate and Performance Bank Guarantee. In case of foreign supply, i.e. outside India i.e., payment may be released through Letter of Credit as per policy of IIT (ISM), Dhanbad. The invoice should be duly certified by the Head of Deptt. of IIT (ISM), Dhanbad to which supply is made or any other IIT (ISM) official authorized for this purpose. IIT (ISM), Dhanbad does not make any advance payment. However, as a special case in foreign supply only, 90% Letter of Credit (LC) Payment term may be accepted against dispatch of required documents as per PO terms and PBG and balance 10% payment via wire transfer/RTGS will be released only after satisfactory installation report and other documents as per PO terms received from the user department from the firm.
23. Advance payment will not be released. Any bid having condition of advance payment will be treated as non-responsive bid.
24. Country of origin and port of shipment must be stated in the technical bid itself in case of foreign supply. Any change at later stage will not be accepted.
25. Name and address of Indian Agent, percentage of agency commission, if any and role of the Agent with respect to the subject supplies and a statement thereon that "Agency Commission is included in the bid.
26. Payment will be released through bank/ RTGS/Wire transfer. The payment will be released after statutory deductions and compensation of delay / liquidated damage (LD) / late delivery etc., if any.
27. Any payment will be released only after satisfactory completion of the work/installation and after submission the certified bill(s) / invoice(s).
28. All communications are to be addressed to the Registrar, IIT (ISM), Dhanbad quoting the Tender No. and Date.
29. IIT (ISM), Dhanbad reserves the right to accept or reject or cancel any or all tender notice or bid(s) or order(s) at any stage without assigning any reason thereof.
30. For any dispute, the place of jurisdiction shall be Dhanbad (Jharkhand, India) only.
31. It will be the sole responsibility of the bidder(s) that its bid should reach on or before the submission deadline to Registrar, IIT (ISM), Dhanbad.
32. **Governing Law:** The order, placed, will be the contract between the successful bidder(s) and IIT (ISM), Dhanbad and shall be governed by the LAWS of India and under the contract shall be taken by the parties only in Dhanbad (Jharkhand, India) to competent jurisdiction.
33. Bid(s) shall be submitted in official tender form / format only. If submitted in any other form / format, the same shall be rejected. No paper shall be detached from the tender. All pages must be numbered properly and there must be seal and sign of the bidder(s) on all the pages of its bid.



34. The name and address of the bidder(s) shall be clearly written in the space provided and no overwriting, correction, insertion shall be permitted in any part of the tender. The tender should be filled-in and submitted in strict accordance with the instructions laid down herein; otherwise the bid is liable to be rejected.
35. The bid is liable to be rejected if complete information is not given therein, or if the particulars and data (if any) asked for in the Schedule to the tender are not filled-in properly.
36. The successful bidder(s) will indemnify IIT (ISM), Dhanbad, in case of any damage or liability, which may arise on account of any act or omission directly/indirectly attributable to the bidder(s).
37. Dispute, if any arising out of providing the said service(s) shall be settled mutually or arbitration by sole Arbitrator to be appointed by the Registrar, IIT (ISM), Dhanbad at Dhanbad as per the provisions of the Indian arbitration and Conciliation Act, 1996 and the Rules framed there under. The award passed by the said sole Arbitrator, will be binding upon the parties. The arbitration proceedings shall be held at Dhanbad only.
38. The successful bidder(s) shall ensure that its authorized representative should be present at the time of any discussion at IIT (ISM), Dhanbad regarding the bid, for which no any kind of TA/DA/boarding/lodging will be facilitated by IIT (ISM) Dhanbad.
39. The schedules of items/services are required as per Chapter-4 of this tender. Bidder(s) must clearly indicate in its tenders, the different taxes and duties which they propose to charge mentioning clearly the present rate(s) thereof with appropriate reference. Vague offer like "duties as applicable" shall not be considered.
40. Price should be quoted at Price Bid (Part-2) (Chapter – 5 of this tender) only for the item(s)/services as mentioned at Chapter – 4 of this tender. The required item(s)/services to be delivered / provided on or before the dead line as per purchase order.
41. The bidder(s) should be registered with VAT, CST, SST, Income Tax, service tax authorities, GST etc. and to enclose the copies of the relevant certificate along with the technical bids. The agency must be authorized by appropriate government authority to deliver the items/services at the IIT (ISM) Dhanbad.
42. The successful bidder(s) will ensure that its employees/staff/personnel would strictly follow all the security instructions and rules and regulations of IIT (ISM), Dhanbad during their visit in the campus.
43. If the successful bidder(s) commits breach of any of the above or Order's terms and conditions or is not able to deliver the item / provide the services / complete the work on time, the contract will be cancelled and security deposit shall be forfeited and a damage liability at the discretion of IIT (ISM), Dhanbad will be imposed on the bidder(s).
44. Bills / Invoices raised by the bidder(s) will be subject to applicable statutory deductions including T.D.S.
45. Necessary corrigendum(s), if required, will be issued at any stage, which must be acceptable to the bidder(s). Any corrigendum will be published on our website www.iitism.ac.in only. Bidder(s) must be in touch with our website www.iitism.ac.in for corrigendum(s). It will be sole responsibility of the

bidder(s) that they will go through the corrigendum(s) published, if any, on our website www.iitism.ac.in and submit its tender accordingly.

46. Shortlisted bidder(s) may be called for presentation / demonstration / meeting at IIT (ISM), Dhanbad office with a short notice. Request from the bidder(s) to change the date and time of presentation / demonstration / meeting will not be accepted. If the bidder(s) will not attend for the same, then their bid(s) will be treated as non-responsive and hence the bid(s) will not be considered for further process.
47. Price bids will be opened for those bidder(s) who are shortlisted and declared as technically qualified bidder(s) by the Committee of the IIT (ISM), Dhanbad. In this regard, decision of IIT (ISM), Dhanbad will be final and binding to all the bidder(s).
48. Please note that no part shipment/transshipment/third party shipment is acceptable to us.
49. Submission deadline / last date & time for submission of the bids and date & time for opening of the same are given in this bid. The bids will be opened as per IIT(ISM) rules. Authorized representative of bidders having authorization letter, a govt. issued ID card and an employment ID card issued by the bidder may present during bid opening at their own discretion. In case of submission deadline / last date or bid opening date is a holiday/declared as a holiday, then next working date will be the submission deadline / last date for submission/ opening of tender. Submission deadline or bid opening date & time will not be changed upon any request from the bidder side. However, it may be changed as per IIT(ISM) rules. In this regard, decision of the IIT (ISM), Dhanbad will be final and binding to all the bidders.
50. For the items / services, the bidders must ensure the required quality, quantity, materials, dimensions & other parameters and quote accordingly. In case items / services provided are not same as quoted/ordered, the claim for payment shall not be accepted. No payment, claims for such items / services shall be released. In this regard, decision of IIT (ISM), Dhanbad will be final and binding to the bidders.
51. IIT (ISM), Dhanbad at its discretion may change the quantity/quality/parameters/upgrade the criteria/drop any item(s) or part thereof at any stage. In case of any dispute, the decision of IIT(ISM) shall be final and binding on the bidders/tenderers.
52. IIT (ISM), Dhanbad reserves the right to accept or reject any or all the bids in part or in full without assigning any reason and does not bind itself to accept the lowest bid. The decision of the competent authority of IIT (ISM), Dhanbad will be final and binding to the bidder(s).
53. All the bidders, those are interested to participate in this bid, must have to submit the technical specification of their bid in MS-Word Format in a CD with the technical bid. The CD must be marked with the NIT No. and submission deadline.
54. Professional(s) to be deployed by the successful bidder(s) for the supply of the item / installation / execution of the work in order to provide the item(s) /service(s) as per order must be well qualified.



CHAPTER 3

Schedule of Requirements

<u>Description</u>	<u>Details</u>
NIT No.	IIT(ISM)/EDC-500399-2017-18
Date of Tender	24 January 2018
Bid submission deadline	26.02. 2018, 3:00 P.M.
Date of opening of the bids (technical part-1)	26.02. 2018, 4:00P.M.
Earnest Money Deposit (EMD) Amount (<i>in the form of Demand Draft issued from any Nationalized / Scheduled commercial Bank in favour of "Registrar, IIT (ISM), Dhanbad" payable at Dhanbad</i>)	Rs. 70,000.00 (Rupees Seventy Thousand Only)
Acknowledgment of the Order	The order acknowledgment must be submitted within 2 (Two) days from the date of order.
Performance Security/ Performance Bank Guarantee (PBG) (<i>in the form of Demand Draft / Bank Guarantee issued from any Nationalized / Scheduled commercial Bank in favour of Registrar, IIT (ISM), Dhanbad payable at Dhanbad</i>)	Should be submitted within 15 (fifteen) days from the date of issue of order.



CHAPTER 4

Specifications and allied technical details

Tender Schedule

- Bidder to quote with 5 years project warranty
- Being a turnkey project, entire cost of project will only be considered for evaluation, not the individual item cost.
- Bidder to supply and install audio visual equipments as per tender BoQ at their own cost. IIT (ISM) Dhanbad will provide all necessary civil, electrical, conduiting, raceways and IT support for audio visual installation.
- The models of equipment are subject to change as per the discretion of manufacturer. Bidder to ensure that if the model quoted in tender changes during supply, they must supply rollover model / models ensuring that solution functionality remains unchanged.
- The Annual Maintenance Contract (AMC) price should be quoted separately year wise.
- Minimum one site visit in each quarter and emergency call basis visit as and when required should be inclusive in the AMC price.
- Payment of AMC will be made quarterly only after successful completion of services to the user department.
- Bidder should provide necessary tender specific authorization from OEMs for products as mentioned below quoting in the tender and executing the project if declared as successful bidder, without which the bid will not be considered for evaluation:
 - Projectors, LED Display if any
 - Video conferencing device if any
 - Audio System (Speakers, Microphones, Amplifiers, DSP, Mixer) if any
 - Audio Visual backend (Switchers, Transmitter-Receiver, Extenders, Scalars, Distribution Amplifiers, Control system processors) if any
- Bidders should provide all accessories to run the tendered items as an integrated solution.

Desired Functionality for Senate Hall

Display and Video Conferencing System

- The system is designed to make computer presentation on front projection system with 123" motorised screen.
- Input Source - 1 no active box mounted beneath the teacher's table having VGA, Audio and HDMI input connectivity.
- Output Device - Projector with 123" motorized screen.
- Switching System - HD Scaling Auto-Switcher & Extender box accepts VGA+ Audio and HDMI input and will be fed to projector.
- Video conferencing with 6 way multisite call facility and recording of conference (whatever is shown on main screen) is integrated with the solution.

Audio System

- The system is designed to provide program and local reinforcement audio through the fixed install wall mount speakers.
- Audio to be controlled through touch panel.

Control System:

- The central controller manages the signal routing, various equipment's ON/OFF, source input switching.
- The central controller is driven through wireless touch panel graphical user interface.

Installation System

- Industry standard modular cabinet (equipment rack) with front glass door accommodates the installed AV equipment's and provides ease of access for future servicing requirements.
- Equipment rack will be placed in front corner of the room.

Senate Hall: 56X23X10ft (BOQ and Specifications)**Display System**

Sr. No	Item description	Make	Model	UoM	Qty
1	Projector Projection System 3LCD Technology Colour Light Output 6,500 lumen- 5,915 lumen (economy) In accordance with IDMS15.4 White Light Output 6,500 lumen - 5,915 lumen (economy) In accordance with ISO 21118:2012 Aspect Ratio 16:10 Contrast Ratio 50,000 : 1 Native Contrast 2,000 : 1 Lamp 400 W, 3,000 h durability, 4,000 h durability (economy mode) Lamp (portrait mode) 400 W, 2,000 Hours Durability Keystone Correction Manual vertical: $\pm 45^\circ$, Manual horizontal $\pm 30^\circ$ Colour Reproduction Upto 1.07 billion colours Projection Ratio 1.44 - 2.33:1 Zoom Motorized, Factor: 1 - 1.6 Lens Shift Motorized - Vertical $\pm 67\%$, horizontal $\pm 30\%$ Lens position memory 10 positions Image Size 50 inches - 300 inches Projection Lens F Number 1.7 - 2.3 Focal Distance 24 mm - 38.2 mm Focus Motorized Projection Distance Wide 1.5 m - 9.4 m (50 inch screen) Projection Distance Tele 2.5 m - 15.1 m (50 inch screen) USB 2.0 Type A, USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n (optional), VGA in, VGA out, DVI in, BNC in, HDBaseT, Stereo mini jack audio out, Stereo mini jack audio in (3x), HDMI (HDCP 2.2) Preferred Makes to be quoted with tender specific authorisation from OEM : Epson, Christie, NEC			Piece	1.00
2	Standard 6 feet Projector ceiling mount			Piece	1.00
3	Projection Screen Universal mounting brackets for easy installation anywhere The pentagonal-shaped steel case should have scratch-resistant white polyester finish. Aspect Ratio 16:10 Motorised screen Matt White Projection Screen Surface Smooth operation 220V power supply Built in LVC for efficient controlling with the help of a control system Diagonal Size: 123" Preferred Makes: Draper, Da-Lite , DNP			Set	1.00

Display System**Video and Switching System**

Sr. No	Item description	Make	Model	UoM	Qty
---------------	-------------------------	-------------	--------------	------------	------------

4	<p>4 input(transmitter + receiver) auto-switching, auto-detecting multi-format digital/analog inputs Inputs: 3 HDMI inputs, 1 VGA & audio input Output on transmitter: (1) 8-pin RJ45 female, shielded; Signal extension link output port; Connects to the FROM TX, INPUT 2 port of the companion receiver via CAT5e Outputs on receiver: HDMI & analog stereo HD video scaler and deinterlacer, noise reduction, 3:2/2:2 pull-down detection and recovery, aspect ratio selection, VGA phase/clock & H/V position adjustments, picture and RGB color adjustments Scaler Output Resolutions, HDMI, Progressive: 640x480@60Hz, 720x480@60Hz (480p), 720x576@50Hz (576p), 800x600@60Hz, 840x480@60Hz, 1024x768@60Hz, 1280x720@50/60Hz (720p50/60), 1280x768@60Hz [11], 1280x800@60Hz [11], 1280x960@60Hz, 1280x1024@60Hz, 1360x768@60Hz, 1366x768@60Hz [11], 1400x1050@60Hz [11], 1440x900@60Hz [11], 1600x900@60Hz [12], 1600x1200@60Hz, 1680x1050@60Hz [11], 1920x1080@24/50/60Hz (1080p24/50/60), 1920x1200@60Hz [12] Scaler Output Resolutions, HDMI, Interlaced: 480i, 576i, 1080i25, 1080i30 Preferred Makes to be quoted with tender specific authorisation from OEM- crestron, AMX, Lightware</p>			Piece	1.00
5	<p>Pop up box with 1 x HDMI, 1 x VGA, 1 x Audio, 1 x USB, 1 x Data and Dual Power Socket with On/Off Switch Preferred Makes: Magnum, Transcz, Crestron</p>			Piece	1.00
6	<p>Wireless Presentation Gateway HDMI output with embedded audio VGA output with 3.5mm audio port Onboard ethernet LAN port Built-in wireless access point dual front USB ports for control Resolution: 1080p 64 user queue quadrant display Cross-platform application Multitouch touchscreen control: upto6 Preferred Makes: wePresent, Extron, Crestron</p>			Piece	1.00
7	<p>HDMI Patch Cable 6 feet high-speed HDMI cable 24k gold-plated 19-pin Type A connectors RoHS compliant Supports 4K Ultra HD video Supports Full HD 1080p with Deep Color and 3D Preferred Makes: Extron, Crestron</p>			Piece	11.00
8	<p>VGA + Audio Patch Cable High-bandwidth computer VGA cable w/audio - 6ft Integrated mini-TRS stereo audio cable Supports computer resolutions up to WUXGA High-density 15-pin connectors RoHS compliant Preferred Makes: Extron, Crestron</p>			Piece	1.00
9	<p>HDMI Distribution Amplifier Should split one HDMI source to two outputs Should Handle video resolution upto 4K and ultra HD or better Should handle 3D video and deep color or better Should be HDCP compliant or better Should include input and output sync indicators or better Should be able to handle Dolby® TrueHD, Dolby Atmos®, DTS-HD®, and uncompressed 7.1 linear PCM audio or better Preferred Makes to be quoted with tender specific authorisation from OEM : Crestron , Extron</p>			Piece	1.00

10	HDMI cable for signal transmission upto 50ft through transmitter receiver / optical cable Preferred Makes: Crestron, Kramer, Extron			Piece	2.00
Video and Switching System					
Video Conferencing					
Sr. No	Item description	Make	Model	UoM	Qty
11	<p>Full HD 1080p camera, codec, Microphone Array, cables, and remote control It should support H.323, SIP standards for communications. It should support H.261, H.263, H.264 AVC/ SVC, H.264 High Profile It should support 1080p 60 fps, 1080p 30 fps, 720p 60 fps and 720p 30fps It should support content sharing using standard based H.239 and BFCP over SIP at resolution HD1080p60. It should also support audio from PC used for content sharing. It should transmit both people and content both simultaneously to the far end location at 1080p 30fps It should support G.711, G.728, G.729A, G.722, G.722.1, AAC-LD or better It should support 20kHz bandwidth with crystal clear audio and stereo sound. Automatic Gain Control and Automatic Noise Suppression Keyboard noise reduction and instant adaptation echo cancellation 1 x HD input for connecting main HD camera 1 x HDMI input for connecting PC/Laptop to share HD content 1 x Microphone Input (Support for minimum 2 mics) 1 x 3.5mm stereo line-in 2 x HDMI output for connecting main monitor & second monitor. 1 x 3.5 mm stereo line-out 1 x 10/100/1000 LAN port 2 x USB 2.0 for software upgrade and connecting external devices 1 x RS-232 mini-DIN 8-pin It should support 1080p60fps with 10x optical zoom and 65° field of view. It should be capable of enhancing video conferencing experience with advanced face-recognition technology such that it automatically scans the room and seamlessly commands the main camera to appropriately frame the users during a call without any manual intervention. It should support PAN Range of +/-100°, and Tilt of +/-20° H.323 and SIP bandwidth up to 6 Mbps IPv4 and IPv6 support from day one Auto Gatekeeper Discovery IP Precedence H.323 based Packet Lost Recovery It should support atleast 6 sites at 720p with or without external hardware Media Encryption (H.323, SIP): AES-128, AES-256 Authenticated access to admin menus, web interface and telnet API Local account password policy configuration H.224/H.281, H.323 Annex Q, H.225, H.245, H.241, H.239, H.243, H.460 It should support native Lync server integrations Auto sensing power supply. 125VA @ 230V @ 60Hz Preferred Makes to be quoted with tender specific authorisation from OEM : Polycom, Cisco</p>			Piece	1.00
12	Customised camera shelf			Piece	1.00
13	<p>Should have capability to record video input from various input sources (HDMI , YPbPr , YCbCr and CVBS) in either digital or analog format Storage capability in either USB HDD or USB Pen Drive Should be HDMI and HDCP compliant Should support video input resolutions upto 1080i or better Should support 16bit 48kHz audio data and sampling rate or better Should support H.264 video compression and MPEG-I layer 2 audio compression or better Source selection through front panel push button or IR remote controller Video /Audio Input Ports : HDMI x1 , YPbPr / YCbCr x1 , RCA Audio x 1 , CVBS x 1 , Mic x 1 or better Video /Audio Output Ports : HDMI x2 , YPbPr / YCbCr x1 , RCA Audio Stereo x 1 , CVBS x 1 , Mic x 1 or better Communication / Storage Ports : USB 2.0 X1</p>			Piece	1.00

Video and Switching System**Audio System**

<u>Sr. No</u>	<u>Item description</u>	<u>Make</u>	<u>Model</u>	<u>UoM</u>	<u>Qty</u>
14	<p>Lavalier Wireless System Working Range : 91 m (300 ft) Line of Sight or better Lavalier System Type Condenser (electret bias) Frequency Response 50 to 20,000 Hz Polar Pattern Omnidirectional, uniform with frequency Impedance 3000 ohms Output Level Open Circuit Voltage: -38 dBV/Pa* (13 mV) *1 Pascal = 94 dB SPL Frequency Response : 50 to 15,000 Hz Bodypack transmitter with Easily accessible On / Off switch Wireless Receiver : XLR connector -20.5 dBV (into 100 kΩ load) 6.35 mm (1/4") connector -13 dBV (into 100 kΩ load) RF Sensitivity -105 dBm for 12 dB Image Rejection: > 50 dB, typical Housing : Molded ABS Preferred Makes to be quoted with tender specific authorisation from OEM : Shure , Beyerdynamic , Sennheiser</p>			Piece	2.00
15	<p>Wireless Handheld Microphone Working Range : 91 m (300 ft) Line of Sight or better Audio Frequency Response 50 to 15,000 Hz Total Harmonic Distortion : 0.5%, typical Dynamic Range : 100 dB, A-weighted, typical</p> <p>Bodypack Transmitter : Audio Input Level : max: -16 dBV maximum min (0 dB): +10 dBV maximum Gain Adjustment Range : 26 dB Input Impedance : 1 MΩ RF Transmitter Output : 10 mW, typical Housing : Molded ABS</p> <p>Wireless Receiver : Output Impedance XLR connector : 200 Ω Audio Output Level : XLR connector: -27 dBV (into 100 kΩ load) RF Sensitivity : -105 dBm Image Rejection: > 50 dB, typical Housing : Molded ABS</p> <p>Cardioid Capsule : Type : Condenser, electret bias Frequency Response : 60Hz to 12,000Hz Polar Pattern: Cardioid (unidirectional) Signal to Noise Ratio : 66dB, 1kHz at 1 Pa Maximum SPL : 120dB Dynamic Range : 92dB Output Noise : 28dB (B (typical, A-Weighted) Preferred Makes to be quoted with tender specific authorisation from OEM: Shure , Beyerdynamic , Sennheiser</p>			Piece	2.00

16	<p>Gooseneck Microphone 18" Cardioid Gooseneck Microphone Wide dynamic range and frequency response for accurate sound reproduction across the audio spectrum Should Have Mute Switch / LED Indicator Balanced, transformerless output for increased immunity to noise over long cable runs Transducer type : Condenser Frequency Response : 50 Hz to 17 kHz Dynamic Range (Typical) : 96.2 dB, (@ 1 kW Load) Signal-to-Noise Ratio : 66.0 dB, (Referenced @ 94 dB SPL) Maximum Input Sound Level : 124.2 dB, (1 kHz @ 1% THD, 1 kW Load) Power Requirements Phantom : (11 to 52v, DC) Output Impedance : 150 Ohms (180 Ohms Actual @ 1 kHz) Output Connectors : XLR-3M Type Preferred Makes : Shure , Beyerdynamic , Sennheiser</p>			Piece	3.00
17	<p>Digital Signal Processor w/USB Audio, AEC, & Audio Conferencing Interface Hybrid channel strip architecture Customizable inputs and outputs Eight internal aux buses Twelve mic/line inputs with 66 dB gain range Eight +24 dB balanced line outputs 8x8 USB Audio interface SIP or POTS audio conferencing interface Highest-quality converters, preamps, and line amps Clean and intuitive software AEC on each analog input Preferred Makes to be quoted with tender specific authorisation from OEM- Crestron, Biamp, BSS</p>			Piece	1.00
18	<p>2x210W Commercial Power Amplifier, 4/8Ω or 70/100V Two channels each rated 210W@4Ω, 120W@8Ω, and 120W@70/100V Transformer isolated 70 and 100 Volt outputs Each channel selectable for 4/8Ω, 70V, or 100V operation Bridgeable for 420W@8Ω High-output power, low noise, low distortion performance Individual channel power control via jumper or remote contact Auto power-down after 30 minutes of no signal Over current and DC offset protection per output Professional balanced inputs Rear panel ±10dB input level controls Convection cooled - no noisy fans Single-space 1U rack mountable Preferred Makes to be quoted with tender specific authorisation from OEM- Crestron, Labgruppen, Bose</p>			Piece	1.00
19	<p>Wall mount speakers 2-way surface mount speaker Designed for high reliability in both indoor and outdoor applications Built-in 30 Watt 70/100V multi-tap transformer Allows 360° rotation and continuously variable positioning 100 Watts program power handling at 8 Ohms 80 Hz - 18 kHz frequency range Paintable to blend with surroundings Black in colour Preferred Makes to be quoted with tender specific authorisation from OEM- Crestron, Tannoy, Bose</p>			Piece	6.00

Audio System**Control System**

<u>Sr. No</u>	<u>Item description</u>	<u>Make</u>	<u>Model</u>	<u>UoM</u>	<u>Qty</u>
20	Control processor Real-time, Multitasking Control processor Should have minimum of 512MB RAM Built in Should have minimum of 4GB Flash Built In It should support Expandable storage up to 1TB It should have Industry-standard Ethernet communications It should have built in Web server It should have minimum One RS-232/422/485 COM port It should have minimum Two RS-232 COM ports It should have minimum 8 IR/serial It should have minimum 8 Low Voltage relay ports It should have minimum 8 Versiport I/O ports It should have native support for BACnet/IP. It should be IPv6 ready It should IIS v.6.0 Web Server It should be controllable thru iPhone®, iPad® and Android without the need of any other hardware modules It should include a power supply, if it is not there, it should be separately quoted. rack-mountable Preferred Makes to be quoted with tender specific authorisation from OEM - Crestron, Extron, AMX			Piece	1.00
21	Touch Panel Retina Display or better 9.7-inch (diagonal) LED-backlit Multi Touch display with IPS technology or better 2048x1536 resolution at 264 pixels per inch (ppi) or better Fingerprint-resistant oleophobic coating or better Wi Fi (802.11a/b/g/n); dual channel (2.4GHz and 5GHz) and MIMO or better Bluetooth 4.2 technology or better Operating temperature: 0° to 35° C (32° to 95° F) or better Non-operating temperature: -20° to 45° C (-4° to 113° F) or better Relative humidity: 5% to 95% non-condensing or better Preferred Makes : Apple , Extron , Crestron , AMX			Piece	1.00
22	Table Dock for iPad Air 2 Provides a stylish table dock for the iPad Air 2 Charges the iPad Air 2 while docked Allows for easy docking and undocking Preferred Makes - Crestron, Extron, AMX			Piece	1.00
23	Wi-fi access point to be provided by IIT-ISM Dhanbad			Piece	1.00
24	Application software for touch panel			Software	1.00

Control System**Bulk Cables and Connectors**

<u>Sr. No</u>	<u>Item description</u>	<u>Make</u>	<u>Model</u>	<u>UoM</u>	<u>Qty</u>
25	Various Bulk Cables and Connectors with Accessories. All cables to be billed as individual items as per site requirement. Preferred make for cables: Kramer, Belden, Extron, Crestron, Dlink (Cat 6)			Lot	1.00

26	<p>Equipment 17U Multi Hollow Extruded Aluminum Frames Structure across the X, Y & Z axis to give an Uninstruct bolting mechanism (UL) and Further reinforced with 8 Nos. of corner bracket which ensure better stability and strength</p> <p>Configured to hold 19-inch equipment with the help of two pairs of mounting angle provided with square slots to accommodate M6 Cage nuts at universal pitch Pattern as per DIN 41494</p> <p>Top cover ventilated on all sides along the width and depth thereby enhancing exhaust of hot air</p> <p>Cable entry provision is both at the top and bottom covers with 35mm round cable entry point, the cable entry provision comprising of a gland plate with cable entry points in round cut outs edge protected with rubber grommets</p> <p>Monitor Tray – Ventilation – Tray Specially designed with multiple bend and additional stiffeners for better load carrying capacity</p> <p>Metal Steel Ventilation Panel – Blank Ventilation Panels to help to fill the open space in the rack along with ventilation to facilitate air circulations</p> <p>Castor – 4 Nos. of heavy duty castors to take care of heavy load bearing capacities are provided, 2 Nos. in the front with Break & 2 Nos. on the rear without break.</p> <p>Rack mount channels with Hardware sets</p> <p>Earthing Strip – Copper strip to take care of the grounding</p> <p>Colour Finishing – RAL - 7035 & RAL - 7037 Fine Texture with 60 – 80 microns, for better finish and aesthetic look</p> <p>Preferred Makes : Valrack/ Middle Atlantic/ President</p>				Per Meter	1.00
----	---	--	--	--	-----------	------

Bulk Cables and Connectors**Installation, Commissioning, Consultancy and Labour**

Sr. No	Item description	Make	Model	UoM	Qty
27	Installation, Commissioning, Consultancy and Labour for supplied items only. Does not include any civil, electrical, IT, carpentry or conduiting				1.00

Installation, Commissioning, Consultancy and Labour**Total cost of Conference Room including GST/Taxes**

CHAPTER 5

PRICE SCHEDULE

Price Bid (Part 2)

PRICE BID

(Note: This price bid must be in a sealed cover and should be sealed separately from the techno-commercial bid cover.)

The bidder(s) shall quote the amount tendered/financial bids in the following format:

"Price Bid for Supply and Installation, E-enabled Senate Hall with advanced feature equipment/hardware"

"I / We (_____) on behalf of M/s _____

_____ hereby undertake to provide **Supply and Installation, E-enabled Senate Hall with advanced feature equipment/hardware** as specified in this tender and our technical bid for an amount of Rs. _____ (in _____ words _____ Rupees _____) for the item as in

Chapter -4. The above quoted amount is inclusive of and in accordance with all the statutory liability, Service Charges, Administrative Charges, etc." as applicable.

Details of the prices quoted for the various items as per technical bid are as follows: -

.....

Signature of the bidder(s)/authorized signatory with seal

UNDERTAKING BY THE BIDDER(S)

I have carefully gone through the various terms and conditions mentioned in the tender document of **Supply and Installation, E-enabled Senate Hall with advanced feature equipment/hardware**. I agree to all the conditions and offer to supply the item at IIT (ISM), Dhanbad. I am making this offer after carefully reading the conditions and understanding the same. I have acquainted with all the tasks required to be carried out, before making this offer. I will abide by the corrigendum(s), if any, to be issued by IIT (ISM) Dhanbad on its website www.iitism.ac.in. I hereby sign this undertaking as token of our acceptance of various conditions mentioned in tender document. Justification of the price is also attached herewith.

Place: _____

Dated: _____

Name & Signature of the bidder(s):

Address: _____

CHAPTER 6

Contract Form

With reference to the tender reference no. **IIT(ISM) /EDC-500399-2017-18**, Dated: **24 January 2018** of IIT(ISM), Dhanbad for Supply and Installation, **E-enabled Senate Hall with advanced feature equipment/hardware**, we (bidder(s)'s name) _____ accept all the instructions and terms and conditions of the tender and accordingly hereby submit our quotation no. _____ dated _____.

ALL TERMS AND CONDITIONS OF THE N.I.T. ARE ACCEPTED

1	Name and address of the bidder	
2	Telecom nos. of the bidder i.e. phone fax, & email id.	
3	Signature, name & designation of the person signing on behalf of the bidder & his/her office seal	
4.	Name & designation of the contact person & his phone/mobile no./e-mail ID	

We hereby declare that all statements/details made in this tender are true, complete and correct to the best of my knowledge and belief. I understand that in the event of any information being found false or incorrect at any stage or we do not satisfy any of the stated criteria, our offer is liable to be cancelled automatically and IIT (ISM), Dhanbad may take an action against this firm for such false information including legal action.

Signature:

Name:

Designation:

Bidder(s)'s Name:

Seal:

CHAPTER 7**Form 7.1- Checklist**
(to be submitted with technical bid part-1)

1. Duly sealed and signed (on all pages) of the tender document.	
2. Demand draft is attached as Tender Fee	
3. Demand draft is attached as EMD.	
4. Form No. 7.4 (Techno-Commercial bid, Part-1) is attached	
5. Form No. 7.2 and 7.3 are attached with Techno-commercial bid (part-1)	
6. Details of PAN, TIN, Service Tax Registration No., GST No. etc. is attached	
7. Bank account details is attached	
8. Complete contact details (Name, Postal address, E-mail address, phone no. mobile no.) is provided	
9. Complete technical details attached	
10. The Techno-Commercial bid (Part 1) is sealed in a separate envelope (ENVELOPE-ONE) with EMD and Tender Fee in the form Demand Draft and duly super-scribed as "Techno-Commercial bid (Part 1) - Bid for Supply and Installation, E-enabled Senate Hall with advanced feature equipment/hardware	
11. The Price bid (Part 2) is sealed in separate envelopes (ENVELOPE-TWO) and duly super-scribed as "Price Bid (Part 2) – Bid for Supply and Installation, E-enabled Senate Hall with advanced feature equipment/hardware	
12. A copy of PAN/Voter Card/Aadhar Card including ID card of the bidder (firm) of the authorized signatory of the bidder(s) is attached with the Form 7.1	

Form No.: 7.2

To,
The Registrar,
Indian Institute of Technology (Indian School of Mines), Dhanbad,
P.O. – I.S.M.
DHANBAD– 826004.

Ref.: Your Notice Inviting Tender No. IIT-ISM / EDC-500399-2017-18, Dated: 24 January 2018.

Sub: Technical bid relating to **Supply and Installation, E-enabled Senate Hall with advanced feature equipment/hardware**

Sir/ Madam,

1. I/We have gone through all Chapters of the tender document such as Instructions and Terms and conditions, minimum eligibility criteria, schedule of requirements, Specifications and allied technical details etc. as enlisted by you in your Notice Inviting Tender for the subject under reference.
2. I/We, hereby confirm that we have understood all the above and confirm my/our commitment to abide by them.
3. I/We also confirm my/our commitment to provide the services as enlisted in your Notice Inviting Tender under reference.

Seal and Signature of authorized signatory of the bidder(s) with date→

Documents	Yes/No	Document No. (If submitted a copy of the same)
PAN Card/Voter ID/Aadhaar Card		
Official ID Card		
Other Documents (specify below)		

(A copy of PAN/Voter Card/Aadhar Card and official ID card of the authorized signatory of the bidder(s) must be attached with this letter.).



Form No.: 7.3
(to be submitted with technical bid part-1)

1. Tender Fee (Non-refundable): DD NO. _____ Date: _____ Amount: Rs. Five Thousand only, Issued by bank and branch _____
2. Earnest Money Deposit: DD NO. _____ Date: _____ Amount: Rs. Seventy Six Thousand only, Issued by bank and branch _____
3. Validity of Quotation: days from the date submission deadline (minimum 240 days from the submission deadline).....
4. Performance Security or PBG: Will Be Submitted with the proforma invoice or invoice, if Purchase Order placed by I.I.T. (I.S.M.), Dhanbad
5. Payment Terms: Payment after supply, satisfactory installation and submission of all required documents as per Purchase Order after statutory deductions and penalty (liquidity damage), if any as decided by I.I.T. (I.S.M.), Dhanbad.

ALL THE ABOVE MENTIONED TERMS & CONDITIONS ARE ACCEPTED BY US AND PROFORMA IS SUBMITTED FOR CONSIDERATION.

Signature & Seal of the Bidder(s)



Form No.: 7.4**TECHNO-COMMERCIAL BID (Part-1)****TECHNICAL BID**

1. Name of the Bidder(s).....
2. Name of the authorized person (who signs on the tender document on behalf of bidder(s)) with PAN/Voter Card No./Aadhar No.
3. Address of the Bidder(s)..... , Website
4. Phone No. (Mobile)..... Fax..... E-mail

Details of the item and its specification:

Sl. No	Particulars	Description

Name of the authorized signatory:**Name of the Bidder(s):****Contact No.:****Signature & Seal of the Bidder(s)**



Form No.: 7.5**To be attached with TECHNO-COMMERCIAL BID (Part-1)****Compliance Statement**

Sl. No	Technical requirement as per NIT	What is offered by the bidder	Status of Compliance Complied/Not Complied
--------	----------------------------------	-------------------------------	---

Signature & Seal of the Bidder(s)



Form No.: 7.6**FORMAT OF BANK GUARANTEE**

Whereas _____ (hereinafter called "the Bidder") has submitted its bid dated _____ (date of submission of bid) for the supply of _____ (name and/or description of the goods) (herein after called "the Bid") against Tender Document No. _____ of the Indian School of Mines, Dhanbad.

KNOW ALL PEOPLE by these presents that WE _____ (name of bank) of _____ (name of country), having our registered office at _____ (address of bank) (hereinafter called "the Bank"), are bound unto _____ (name of Purchaser) (hereinafter called "the Purchaser") in the sum of _____ for which payment will and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this _____ day of _____ 2009.

THE CONDITIONS of this obligation are:

- 1) If the Bidder withdraws its Bid during the period of bid validity specified by the Bidder on the Bid Form; or
- 2) If the Bidder, having been notified of the acceptance of its bid by the Purchaser during the period of bid validity:
 - (a) Fails or refuses to execute the Contract Form if required; or
 - (b) Fails or refuses to furnish the performance security, in accordance with the Instruction to Bidders;

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to six months from the date of opening of tender or the period of the bid validity whichever is later and any demand in respect thereof should reach the Bank not later than the above date.

Authorised Signatory with Stamp

