

भारतीय प्रौद्योगिकी संस्थान (भारतीय खनि विद्यापीठ), धनबाद

धनबाद, झारखण्ड, भारत, पिन-826004

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन राष्ट्रीय महत्त्व का एक संस्थान)

INDIAN INSTITUTE OF TECHNOLOGY (INDIAN SCHOOL OF MINES), DHANBAD DHANBAD, JHARKHAND, INDIA, PIN-826004

(An Institute of National Importance under Ministry of H.R.D., Govt. of India)

STORES & PURCHASE SECTION Phone:(0326) 2235678 || Email : purchase@iitism.ac.in || Website : www.iitism.ac.in

No. EE/INS/166/18-19

Date: 23 August 2018

NOTICE INVITING TENDER

Subject: Supply & Installation of DC-DC converter (Buck and Boost) with variable load.

Indian Institute of Technology (Indian School of Mines), Dhanbad invites quotations for the following to be supplied and delivered in Electrical Engineering Department.

S No	Full Description of items/ store	Qty	Delivery
1	Supply & Installation of DC-DC converter (Buck and Boost)	03 Nos.	At the Earliest
	with variable load		

Tender Schedule

Particulars	Date & Time		
Last date and time for submission of tenders	20.09.2018 at 1:00 P.M.		
Date and time of opening of tenders	20.09.2018 at 4.00 P.M.		

- 1. You are requested to quote your lowest rates for the supply of above items in the attached format for Financial Bid (Annexure II)
- 2. You may send your representative in the office of the undersigned at the scheduled date and time of opening of tender.
- 3. Tender should be submitted in sealed cover only superscribed with Enquiry No. and due date at the following address only:

The Deputy Registrar (P&S) Indian Institute of Technology (Indian School of Mines), Dhanbad – 826 004 Jharkhand

Date: 23 August 2018



भारतीय प्रौद्योगिकी संस्थान (भारतीय खनि विद्यापीठ), धनबाद

धनबाद, झारखण्ड, भारत, पिन-826004

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन राष्ट्रीय महत्त्व का एक संस्थान)

INDIAN INSTITUTE OF TECHNOLOGY (INDIAN SCHOOL OF MINES), DHANBAD DHANBAD, JHARKHAND, INDIA, PIN-826004

(An Institute of National Importance under Ministry of H.R.D., Govt. of India)

STORES & PURCHASE SECTION Phone:(0326) 2235678 || Email : purchase@iitism.ac.in || Website : www.iitism.ac.in

No. EE/INS/166/18-19

Terms & Conditions

- 1) The rates should be quoted for each item separately.
- 2) Conditional offer will not be accepted.
- 3) IIT (ISM) does not issue any Form 'C' or 'D' towards sales tax concessional rate. Hence, full rate of sales tax/VAT, GST applicable should be quoted.
- 4) Since IIT(ISM) Dhanbad is an Indian Institute of Technology and subject item will be used for research, hence benefit of reduced rate of GST should be considered if applicable.
- 5) *Educational discount,* if any, should be clearly mentioned.
- 6) You are requested to submit your quotation strictly as per the specifications mentioned in the NIT.
- 7) Your tender must be valid for **minimum 90 days** from the date of opening of tender.
- 8) Please mention warranty/ guarantee in your offer clearly. Material/ equipment to be supplied must have minimum warranty/guarantee of 12 months.
- 9) Each page in the bid document must be numbered properly and duly signed & sealed by the bidder on every page of the bid.
- 10) The items/ materials shall be required to be delivered at EE Department/ Section through Purchase & Store Section, IIT (ISM) Dhanbad at the risk and cost of the tenderer.
- 11) Unloading and installation shall be the complete responsibility of the supplier.
- 12) The stores are required to be delivered within 30 days. Late delivery may not be accepted.
- 13) The items offered should be of good quality confirming to BIS standards, wherever applicable.
- 14) Advance payment is not admissible. Payment shall normally be made within 30-45 days subject to receipt and acceptance & installation of the ordered materials/items PBG and other documents.
- 15) In the event date on which the tender is opened for acceptance is declared to be a holiday, the tenders shall be deemed to remain open for acceptance till the next working day.
- 16) Please send your sealed offer by Regd. Post/ Speed Post/ Courier along with Courier receipt. Tender/ quotation will be received during IIT (ISM) working hours only (i.e. Monday to Friday). Late or delayed tenders shall be summarily rejected.
- 17) Any other information that you may like to obtain, you are free to contact IIT (ISM) before submission of tender.
- 18) IIT (ISM) reserves the right to accept and/or to reject any/ all tenders without assigning any reason.

Assistant Registrar



भारतीय प्रौद्योगिकी संस्थान (भारतीय खनि विद्यापीठ), धनबाद

धनबाद, झारखण्डं, भारत, पिन-826004

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन राष्ट्रीय महत्त्व का एक संस्थान)

INDIAN INSTITUTE OF TECHNOLOGY (INDIAN SCHOOL OF MINES), DHANBAD DHANBAD, JHARKHAND, INDIA, PIN-826004

(An Institute of National Importance under Ministry of H.R.D., Govt. of India)

STORES & PURCHASE SECTION Phone:(0326) 2235678 || Email : purchase@iitism.ac.in || Website : www.iitism.ac.in

No. EE/INS/166/18-19

Annexure-I

Date: 23 August 2018

<u>Technical Specification for Supply & Installation of DC-DC converter (Buck and Boost) with</u> variable load.

Parameter	Specification
Input voltage	Single phase 230V, 50Hz
Semiconductor device to be used	MOSFET discreet modules with rating 200V, 5A or more.
Output	Step down supply voltage should be 24V or more and output voltage should be controllable by changing duty ratio.
	Operating maximum switching frequency should be 25 kHz or more
	Variable load resistance should be included with the setup.
	Verifiable gate pulse waveform, output waveforms with R load and provision for observing inductor voltage and current waveforms.
	Provision for studying Continuous Conduction Mode (CCM) and Discontinuous Conduction Mode (DCM) of operation should be present. Required inductances should be provided
Important features	Isolation between control and power circuit should be provided.
	Tests points should be provided for measurement and observation of important voltages and Gate pulses using multi-meter and oscilloscope.
	Clear circuit diagram should be provided on the front panel of the kit with test points.
	Power ON/OFF switch along with suitable protection for the setup (Fuse, Snubber etc.)
	The circuits inside the box should be either visible from outside or should have clear access through removable/hinged cover.
Accessories	Suitable connectors like patch cord and banana connectors should be provided
	Spare semiconductor modules of equal numbers as used in the power section of actual setup are to be provided
	Laboratory manual with details of circuit diagram should be provided Page 3 of 5

Date: 23 August 2018



भारतीय प्रौद्योगिकी संस्थान (भारतीय खनि विद्यापीठ), धनबाद

धनबाद, झारखण्डं, भारत, पिन-826004

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन राष्ट्रीय महत्त्व का एक संस्थान)

INDIAN INSTITUTE OF TECHNOLOGY (INDIAN SCHOOL OF MINES), DHANBAD DHANBAD, JHARKHAND, INDIA, PIN-826004

(An Institute of National Importance under Ministry of H.R.D., Govt. of India)

STORES & PURCHASE SECTION Phone:(0326) 2235678 || Email : purchase@iitism.ac.in || Website : www.iitism.ac.in

No. EE/INS/166/18-19

Format for Technical Compliance

Name of the equipment: DC-DC converter (Buck and Boost) with variable load.

Parameter	Specification	Complied(Yes/No)
Input voltage	Single phase 230V, 50Hz	
Semiconductor device to	MOSFET discreet modules with rating 200V, 5A or	
be used	more.	
Output	Step down supply voltage should be 24V or more	
	and output voltage should be controllable by	
	changing duty ratio.	
	Operating maximum switching frequency should be	
	25 kHz or more	
	Variable load resistance should be included with the	
	setup.	
	Verifiable gate pulse waveform, output waveforms	
	with R load and provision for observing inductor	
	voltage and current waveforms.	
	Provision for studying Continuous Conduction Mode	
	(CCM) and Discontinuous Conduction Mode (DCM)	
	of operation should be present. Required inductances	
Important features	should be provided Isolation between control and power circuit should	
important reatures	be provided.	
	Tests points should be provided for measurement	
	and observation of important voltages and Gate	
	pulses using multi-meter and oscilloscope.	
	Clear circuit diagram should be provided on the front	
	panel of the kit with test points.	
	Power ON/OFF switch along with suitable	
	protection for the setup (Fuse, Snubber etc.)	
	The circuits inside the box should be either visible	
	from outside or should have clear access through	
	removable/hinged cover.	
Accessories	Suitable connectors like patch cord and banana	
	connectors should be provided	
	Spare semiconductor modules of equal numbers as	
	used in the power section of actual setup are to be	
	provided	
	Laboratory manual with details of circuit diagram	
	should be provided	



भारतीय प्रौद्योगिकी संस्थान (भारतीय खनि विद्यापीठ), धनबाद

धनबाद, झारखण्डं, भारत, पिन-826004

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन राष्ट्रीय महत्त्व का एक संस्थान)

INDIAN INSTITUTE OF TECHNOLOGY (INDIAN SCHOOL OF MINES), DHANBAD DHANBAD, JHARKHAND, INDIA, PIN-826004

(An Institute of National Importance under Ministry of H.R.D., Govt. of India)

STORES & PURCHASE SECTION Phone:(0326) 2235678 || Email : purchase@iitism.ac.in || Website : www.iitism.ac.in

No. EE/INS/166/18-19 Date: 23 August 2018

Annexure - II

Format for Financial Bid

NIT No.: EE/INS/166/18-19	Date: 23 August 2018
Bidders Ref: No.	Date:
GSTIN No.:	

Subject: Supply & Installation of DC-DC converter (Buck and Boost) with variable load.

Sl. No.	Full Description of Items with (HSN Code/SAC Code)	Qty.	Rate	Amount
		Packing & Forwarding		
		(if any)		
		Total		
		GST		
		Freight (if any)		
		Installati	on (if any)	
Amount should be in figure as well as word		Gr	and Total	

Note:

- 1) Price basis must be FOR IIT(ISM) Dhanbad only.
- 2) All the details must be provided as per prescribed format only.
- 3) Prices quoted by the bidders should include all local taxes, VAT, service tax, GST, HSN Code, SAC Code, livies, transportation cost and insurance costs etc. if any
- 4) All the rates must be quoted in Indian Rupees.